

Application No.	Applicant(s)	
09/920,903	AGEE ET AL.	
Examiner	Art Unit	
KHAI TRAN	2637	
(OR REMAINS) CLOSED in this appropriate communication	olication. If not include will be mailed in due	ed course. THIS
<u>9/07/2005</u> .		
• • • • • • • • • • • • • • • • • • • •		tion from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
		IOTICE OF
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
6. ☐ Interview Summary Paper No./Mail Dat 08), 7. ☐ Examiner's Amendn	(PTO-413), e nent/Comment	ŕ
	Examiner KHAI TRAN Pars on the cover sheet with the co (OR REMAINS) CLOSED in this application is subject to 3 and MPEP 1308. 9/07/2005. Inder 35 U.S.C. § 119(a)-(d) or (f). Inder abeen received. Inder application with the color of this communication to file a reply of this communication. Inder this application. Inder the cover sheet with the color of this communication to file a reply of this communication to file a reply of this application. Inder this application. Inder this application to file a reply of this application. Inder this application to file a reply of this application. Index the submitted this application to the declaration of the submitted. Index this application to the drawing the header according to 37 CFR 1.121(or sit of BIOLOGICAL MATERIAL in FOR THE DEPOSIT OF BIOLOGIC	Examiner Exami

Application/Control Number: 09/920,903 Page 2

Art Unit: 2637

REASONS FOR ALLOWANCE

1. The amendment filed 9/07/2005 has been entered. Claims 11-60 are pending in this Office action.

Terminal Disclaimer

2. The terminal disclaimer filed on 9/07/2005 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of the U.S. Pat. 6,359,923 has been reviewed and is accepted. The terminal disclaimer has been recorded.

Allowable Subject Matter

- 3. Claims 11-60 are allowed.
- 4. The following is an examiner's statement of reasons for allowance: none of the prior art of the record discloses or suggests a bandwidth-efficient communications comprising: spreading a second data signal at the base station, with second spreading codes derived from the despreading codes, the second spreading codes based on substantial channel reciprocity between the first said-propagation direction and thecereverse propagation direction, the second spreading codes redundantly spreading the second data signal over a plurality of discrete tones and over at least two of the antenna elements of the array, to form a second spread signal that is thereby both spectrally and spatially spread.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Application/Control Number: 09/920,903 Page 3

Art Unit: 2637

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to KHAI TRAN whose telephone number is (571) 272-3019. The examiner can normally be reached on 7:00AM - 4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, JAY PATEL can be reached on (571) 272-2988. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Mongrantum
KHAI TRAN
Primary Examiner

Art Unit 2637

KT

September 27, 2005